

JF545



	SPX1275CDH	 13.700 kg
	Abnehmbares Gewicht	3.500 kg
	Gummipads	300 kg (92 Stk.)
	JIB L426	1.200 kg
	Arbeitskorb	200 kg



Inklusive Kettenfahrwerk



5450 x 1840 x 2745 mm



6700 x 6700 mm



15.500 kg



28 m



30 m

	KubotaV 3307-DI-T-E3B
	55,4 kW / 74 PS
	13 kW / 17,4 PS 400 V

	2400 kg 60 m - Ø 12 mm
---	---------------------------

		
2600 kg	1	36,5 m/min
2400 kg	2	40 m/min
2200 kg	3	43,5 m/min
2040 kg	4	47 m/min



-15° – 80° / 30 sek.



0 - 28,2 m



0,85 kg/cm²



2,5 km/h



11250 kg




360° / 1 U/min




30°




Hauptausleger




Hauptausleger ohne Kontergewicht




Hauptausleger im Windenmodus




Hakenmodus mit JIB L426




Hakenmodus mit JIB L426 ohne Kontergewicht



Windenmodus mit JIB L426




Arbeitskorb




-  100%
-  360°
-  3500 kg
-  Arbeitskorb



Ausstattung





Sicheres Heben auf engstem Raum.



Unitec Soest GmbH
Lange Wende 10
59494 Soest

Tel +49 2921 327 491-0
Mail info@unitec-soest.de